ELSEVIER

Biomembranes

Vol. 1284, 1996

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors vii

Rapid report

Both the H13 gene product and 4F2 antigen are involved in the induction of system y^+ cationic amino-acid transport following activation of human peripheral blood mononuclear cells (PBM)
S. Chen, D. Meredith and C.A.R. Boyd (UK) 1

Short sequence-papers

A liver-specific isoform of the betaine/GABA transporter in the rat: cDNA sequence and organ distribution
C.E. Burnham, B. Buerk, C. Schmidt and J.C. Bucuvalas (USA) 4

Cloning and sequencing of the bovine cDNA encoding the mitochondrial tricarboxylate carrier protein
V. Iacobazzi, A. De Palma and F. Palmieri (Italy) 9

Regular papers

Stability and pH sensitivity of sulfatide-containing phosphatidylethanolamine small unilamellar vesicles
X. Wu, K.H. Lee and Q.-T. Li (Singapore) 13

Carvedilol-liposome interaction: evidence for strong association with the hydrophobic region of the lipid bilayers
H.-Y. Cheng, C.S. Randall, W.W. Holl, P.P. Constantinides, T.-L. Yue and G.Z. Feuerstein (USA) 20

Europium chelate-loaded liposomes: a tool for the study of binding and integrity of liposomes
A. Orellana, M.-L. Laukkanen and K. Keinänen (Finland) 29

Loss of lysosomal integrity caused by the decrease of proton translocation in Methylene blue-mediated photosensitization
J. Yao and G.-J. Zhang (People's Republic of China) 35

Purification of a cortisol binding protein from hepatic plasma membrane
I. Ibarrola, M. Andrés, A. Marino, J.M. Macarulla and M. Trueba (Spain) 41

Complexes of non-cationic liposomes and histone H1 mediate efficient transfection of DNA without encapsulation
J.E. Hagstrom, M.G. Sebestyen, V. Budker, J.J. Ludtke, J.D. Fritz and J.A. Wolff (USA) 47

Glucose transport activity and ligand binding (cytochalasin B, IAPS-forskolin) of chimeric constructs of GLUT2 and GLUT4 expressed in COS-7-cells
S. Wandel, A. Buchs, A. Schürmann, S.A. Summers, A.C. Powers, M.F. Shanahan and H.-G. Joost (Germany, USA) 56

Aldosterone-induced proteins in primary cultures of rabbit renal cortical collecting system
R.J.M. Bindels, A.M.T. Engbersen, A. Hartog and B.L. Blazer-Yost (The Netherlands, USA) 63

Kinetic characterization of zinc binding to brush border membranes from rat kidney cortex: interaction with cadmium
R. Prasad, D. Kaur and V. Kumar (India) 69

Voltage-dependent absorbance change of carotenoids in halophilic archaebacteria
S. Ichi Seki, H. Sasabe and H. Tomioka (Japan) 79

A combined SAXS/WAXS investigation of the phase behaviour of di-polyenoic membrane lipids
W.P. Williams, B.A. Cunningham, D.H. Wolfe, G.E. Derbyshire, G.R. Mant and W. Bras (UK, USA, The Netherlands) 86

Occlusion of K^+ in the $Na^+/K^+/2Cl^-$ cotransporter of Ehrlich ascites tumor cells
T. Krarup, B.S. Jensen and E.K. Hoffmann (Denmark) 97

Sodium-dependent carnitine transport in human placental choriocarcinoma cells
P.D. Prasad, W. Huang, S. Ramamoorthy, A.L. Carter, F.H. Leibach and V. Ganapathy (USA) 109

Erratum

Erratum to "Fluorescence studies of the effect of pH, guanidine hydrochloride and urea on equinatoxin II conformation" [Biochim. Biophys. Acta 1280 (1996) 65-72]
M. Malavašič, N. Poklar, P. Maček and G. Vesnaver 118

Information for Contributors v

Rapid reports

Ammonium inhibition of Ca^{2+}-dependent inwardly rectifying K^+ currents in HeLa cells
M. Díaz, G. Riquelme and F.V. Sepúlveda (Spain, Chile) 119

Mechanism of action of hemolysin III from *Bacillus cereus*
G.E. Baida and N.P. Kuzmin (Russia) 122

The human intestinal H^+/oligopeptide cotransporter hPEPT1 transports differently-charged dipeptides with identical electrogenic properties
B. Mackenzie, Y.-J. Fei, V. Ganapathy and F.H. Leibach (USA) 125

Sphingolipid-derived signalling modulators: interaction with phosphatidylserine
A.C. Rigby, K.R. Barber and C.W.M. Grant (Canada) 129

Short sequence-paper

Cloning and functional expression of a cDNA encoding a mouse type 2 neuropeptide Y receptor
M. Nakamura, Y. Aoki and D. Hirano (Japan) 134

Regular papers

Polymer ultrathin films with immobilized photosynthetic reaction center proteins
N.A. Kalabina, S.Yu. Zaitsev, V.P. Zubov, E.P. Lukashev and A.A. Kononenko (Russia) 138

Effect of medium conductivity and composition on the uptake of propidium iodide into electropermeabilized myeloma cells
C.S. Djuzenova, U. Zimmermann, H. Frank, V.L. Sukhorukov, E. Richter and G. Fuhr (Germany) 143

Co-existence of serum-dependent and serum-independent mechanisms for liposome clearance and involvement of non-Kupffer cells in liposome uptake by mouse liver
Q. Hu and D. Liu (USA) 153

The lytic activity of the bee venom peptide melittin is strongly reduced by the presence of negatively charged phospholipids or chloroplast galactolipids in the membranes of phosphatidylcholine large unilamellar vesicles
D.K. Hincha and J.H. Crowe (Germany, USA) 162

Proton gradient formation in early endosomes from proximal tubules
V. Marshansky and P. Vinay (Canada) 171

Functional complementation between transmembrane loops of *Saccharomyces cerevisiae* and *Candida albicans* plasma membrane H^+-ATPases
A.B. Mason, T.B. Kardos, D.S. Perlin and B.C. Monk (New Zealand, USA) 181

Fluorescent probes of membrane surface properties
R.F. Epand, R. Kraayenhof, G.J. Sterk, H.W. Wong Fong Sang and R.M. Epand (Canada, The Netherlands) 191

Composition and phase behaviour of polar lipids isolated from *Spirulina maxima* cells grown in a perdeuterated medium
M. Tropis, F. Bardou, B. Bersch, M. Daffé and A. Milon (France) 196

Potassium and voltage dependence of the inorganic pyrophosphatase of intact vacuoles from *Chenopodium rubrum*
G. Obermeyer, A. Sommer and F.-W. Bentrup (Austria) 203

Regulation of nucleobase transport in LLC-PK_1 renal epithelia by protein kinase C
D.A. Griffith and S.M. Jarvis (UK) 213

Angiotensin II receptor type 1 on granulosa and thecal cells of rabbit preovulatory follicles
C. Féral, A. Benhaïm and P. Leymarie (France) 221

The effect of BCECF on intracellular pH of human platelets
O. Aharonovitz, H. Fridman, A.A. Livne and Y. Granot (Israel) 227

Organic solvents induce interdigitated gel structures in multilamellar vesicles of dipalmitoylphosphatidylcholine
K. Kinoshita and M. Yamazaki (Japan) 233

Transport of the anti-cancer drug doxorubicin across cytoplasmic membranes and membranes composed of phospholipids derived from *Escherichia coli* occurs via a similar mechanism
G. Speelmans, R.W.H.M. Staffhorst, H.G. Steenbergen and B. De Kruijff (The Netherlands) 240

Spermine binding to liver mitochondria
L. Dalla Via, V. Di Noto, D. Siliprandi and A. Toninello (Italy) 247

Cumulative Contents, Vol. 1284 253

Author index 255